

DECLARATION OF PERFORMANCE | I ter Hūrne

DOP: THDRYK0624

4	Unique	identification	anda of the	product-type:
1 .0	Omque	identification	Code of the	DIOUUCI-IVDE.

Heterogeneous Vinyl Flooring according to EN ISO 10582 with a thickness of 2.5 mm

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

ter Hürne Design Vinyl Flooring Pro | (see box of the product)

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specific cation, as foreseen by the manufacturer.

For use as floor covering in buildings (see EN 14041) according to the manufacturer's specifications.

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

ter Hürne GmbH & Co. KG, Ramsdorfer Strasse 5, 46354 Südlohn, Germany

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: Name of the notified test laboratory, that has issued the certificate of conformity of the factory production control, inspection reports and calculation reports (if relevant).

Textile Testing Institute, Brno, Czech Republic - Notified Body: 1021

not applicable

Notified Body

certificate of constancy of performance

In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

not applicable

Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	B _{II} -s1	EN 14041:2004/AC:2006
Formaldehyd Emissions	© E1	EN 14041:2004/AC:2006
Slip resistance	DS	EN 14041:2004/AC:2006
Electrical behavior (dissipative)	NPD	EN 14041:2004/AC:2006
Electrical behavior (conductive)	NPD	EN 14041:2004/AC:2006
Electrical behavior (antistatic)	≤ 2kV	EN 14041:2004/AC:2006
Thermal conductivity [W/mK]	0,067	EN 14041:2004/AC:2006
Water-tightness	NPD	EN 14041:2004/AC:2006

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4 Signed for and on behalf of the manufacturer by:

Bernhard ter Hürne, Geschäftsführer

(name and function) 04.06.2024 Südlohn

(place and date of issue)

ne, Geschäftsführer

(signature)