ter Hürne Soya luxury vinyl floor | Pro by ter Hürne GmbH & Co. KG

Health Product Declaration v2.3

Yes ○ No

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 32537357312 CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: ter Hürne Sōya luxury vinyl floor | Pro is a luxury vinyl tile, or LVT product. It is waterproof, stain-resistant, slip-resistant, phthalate-free, easy to clean and maintain, and available in a variety of nature-inspired designs. It needs to be glued down to a subfloor with a

suitable adhesive

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TER HÜRNE SÕYA LUXURY VINYL FLOOR | PRO [CALCIUM CARBONATE BM-3 | EYE POLYVINYL CHLORIDE LT-P1 | MAM OCTADECANEOIC ACID, 10-CHLORO-9-METHOXY, METHYL ESTER NoGS DIOCTYL TEREPHTHALATE, DOTP BM-3dg EPOXIDIZED SOYBEAN OIL LT-P1 | AQU ZINC STEARATE LT-UNK | AQU CALCIUM STEARATE LT-UNK HEXAMETHYLENE DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU CARBON BLACK BM-1 | CAN | EYE | MAM | PHY 2-OXEPANONE, POLYMER WITH 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL AND 5-ISOCYANATO-1-(ISOCYANATOMETHYL)-1,3,3-TRIMETHYLCYCLOHEXANE, 2-HYDROXYETHYL ACRYLATE-**BLOCKED NoGS HYDROTALCITE NoGS 2-PROPENOIC ACID,** ISODECYL ESTER LT-P1 | MUL TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU 1,3-EICOSANEDIONE, 1-PHENYL- LT-UNK 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE LT-UNK 9-OCTADECENOIC ACID (Z)-, ESTER WITH 2,2-BIS(HYDROXYMETHYL)-1,3-PROPANEDIOL LT-UNK METHANONE, [2-HYDROXY-4-(OCTYLOXY)PHENYL]PHENYL- LT-UNK SILICA GEL, PPTD., CRYST.-FREE LT-UNK | MAM BENZENEPROPANOIC ACID, 3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXY-, 2,2-BIS[[3-[3,5-BIS(1,1-DIMETHYLETHYL) -4-HYDROXYPHENYL]-1-OXOPROPOXY]METHYL]-1,3-PROPANEDIYL ESTER LT-UNK FATTY ACIDS, C5-10, ESTERS WITH PENTAERYTHRITOL NoGS PHENOL, 2,4-BIS(1,1-DIMETHYLETHYL)-, PHOSPHITE (3:1) LT-UNK POLYETHYLENE LT-

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

VOC emissions: UL/GreenGuard Gold Certified

UNK 1

VOC emissions: Eurofins Indoor Air Comfort GOLD - certified product LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2023-08-25

C Yes⊙ No

VERIFIER:

PUBLISHED DATE: 2023-08-25 EXPIRY DATE: 2026-08-25

CVos

VERIFICATION #:

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

TER HÜRNE SÖYA LUXURY VINYL FLOOR | PRO

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities contained.

OTHER PRODUCT NOTES: -/-

CALCIUM CARBONATE				ID: 471-34-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE: 2023	-08-25 0:24:06
%: 50.5000 - 50.5000	GreenScreen: BM-3	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category	2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings	s found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYVINYL CHLORIDE			ID: 9002-86-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE: 2023-08-25 0:24:06
%: 35.9700 - 35.9700	GreenScreen: LT-P1	RC: None	NANO: Unknown SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

OCTADECANEOIC ACID, 10-CHLORO-9-METHOXY, METHYL ESTER

ID: 872803-71-9

Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	23-08-25 0:24:07
GreenScreen: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Plasticizer
LIST NAME AND SOURCE		WARNINGS	
		No warnings	s found on HPD Priority Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION	
Cradle to Cradle Products Innov Institute (C2CPII)	ation		duct Standard Restricted L) - Effective July 1, 2022
		Core Restrictions	
	GreenScreen: NoGS LIST NAME AND SOURCE LIST NAME AND SOURCE Cradle to Cradle Products Innov	GreenScreen: NoGS RC: None LIST NAME AND SOURCE LIST NAME AND SOURCE Cradle to Cradle Products Innovation	GreenScreen: NoGS RC: None NANO: Unknown LIST NAME AND SOURCE WARNINGS No warnings LIST NAME AND SOURCE NOTIFICATION Cradle to Cradle Products Innovation Institute (C2CPII) C2C Certified v4 Pro

DIOCTYL TEREPHTHALATE, DOTP

SUBSTANCE NOTES:

ID: 6422-86-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	23-08-25 0:24:07
%: 3.1300 - 3.1300	GreenScreen: BM-3dg	RC: None	NANO: Unknown	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	s found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes o	of Problematic Chemicals
			Some Solvents	
SUBSTANCE NOTES:				

EPOXIDIZED SOYBEAN OIL

ID: 8013-07-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-08-25 0:24:07		
%: 1.3500 - 1.3500	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	GHS - New Zealand		Hazardous to the aquestegory 2	uatic environment - chronic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listin	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

ZINC STEARATE			ID: 557-05
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2023-08-25 0:24:06
%: 0.3800 - 0.3800	GreenScreen: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Children's Products
SUBSTANCE NOTES:			

CALCIUM STEARATE				ID: 1592-23-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	3-08-25 0:24:07
%: 0.3700 - 0.3700	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listin	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

HEXAMETHYLENE DIACRYLATE

ID: 13048-33-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-25 0:24:07

%: 0.1900 - 0.1900	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	Ε	WARNINGS	
SKI	MAK		Sensitizing Substanc	e Sh - Danger of skin sensitization
MUL	German FEA - Substance Waters	s Hazardous to	Class 2 - Hazard to V	Vaters
SKI	EU - GHS (H-Statements)	Annex 6 Table 3-1	H315 - Causes skin ii Category 2]	rritation [Skin corrosion/irritation -
EYE	EU - GHS (H-Statements)	EU - GHS (H-Statements) Annex 6 Table 3-1		us eye irritation [Serious eye n - Category 2A]
SKI	GHS - New Zealand		Skin irritation catego	ry 2
EYE	GHS - New Zealand		Eye irritation categor	y 2
SKI	GHS - Australia		H315 - Causes skin ii Category 2]	rritation [Skin corrosion/irritation -
EYE	GHS - Australia		H319 - Causes serior damage/eye irritation	us eye irritation [Serious eye n - Category 2A]
SKI	GHS - New Zealand		Skin sensitisation cat	tegory 1
AQU	GHS - Japan		H400 - Very toxic to a aquatic environment	aquatic life [Hazardous to the (acute) - Category 1]
AQU	GHS - Japan		•	aquatic life with long lasting effects uatic environment (chronic) -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ε	NOTIFICATION	
None found			No listin	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

CARBON BLACK

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-25 0:24:08

%: 0.1100 - 0.1100 GreenScreen: BM-1 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 2b - Possibly carcinogenic to humans
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

2-OXEPANONE, POLYMER WITH 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL AND 5-ISOCYANATO-1-(ISOCYANATOMETHYL)-1,3,3-TRIMETHYLCYCLOHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED ID: 68987-79-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-08-25 0:24:08		
%: 0.1030 - 0.1030	GreenScreen: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listinç	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-25 0:24:08

%: 0.0820 - 0.0820 GreenScreen: NoGS RC: None NANO: Unknown SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
		NOTIFICATION.
ADDITIONAL LISTINGS None found	LIST NAME AND SOURCE	NOTIFICATION No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

2-PROPENOIC ACID, ISODECYL ESTER

ID: 1330-61-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023	3-08-25 0:24:09
%: 0.0490 - 0.0490	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazard to W	aters (aters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Classes of	Problematic Chemicals
			Some Solvents	

SUBSTANCE NOTES:

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-25 0:24:09

%: 0.0490 - 0.0490 GreenScreen: LT-P1 RC: None NANO: Unknown SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

1,3-EICOSANEDIONE, 1-PHENYL-

ID: 58446-52-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	3-08-25 0:24:10
%: 0.0330 - 0.0330	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE

ID: 25852-37-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE: 2023-08-25 0:24:10
%: 0.0330 - 0.0330	GreenScreen: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Polymer specie
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
None found			No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
None found			No listings found on Additional Hazard Lists
SUBSTANCE NOTES:			

9-OCTADECENOIC ACID (Z)-, ESTER WITH 2,2-BIS(HYDROXYMETHYL)-1,3-PROPANEDIOL

ID: 12772-47-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	3-08-25 0:24:09
%: 0.0330 - 0.0330	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listin	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

METHANONE, [2-HYDROXY-4-(OCTYLOXY)PHENYL]PHENYL-

ID: 1843-05-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	3-08-25 0:24:09
%: 0.0330 - 0.0330	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listin	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-08-25 0:24:10		
%: 0.0160 - 0.0160	GreenScreen: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Desiccant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

BENZENEPROPANOIC ACID, 3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXY-, 2,2-BIS[[3-[3,5-BIS(1,1-DIMETHYLETHYL) -4-HYDROXYPHENYL]-1-OXOPROPOXY]METHYL]-1,3-PROPANEDIYL ESTER

ID: 6683-19-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 202	23-08-25 0:24:10
%: 0.0140 - 0.0140	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE Safer C	Chemicals Ingredients list (SCIL)
	· · y		Preservatives-Antiox Concern)	idants - Green Circle (Verified Low

FATTY ACIDS, C5-10, ESTERS WITH PENTAERYTHRITOL

SUBSTANCE NOTES:

ID: 68424-31-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 202	23-08-25 0:24:11
%: 0.0140 - 0.0140	GreenScreen: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listin	gs found on Additional Hazard Lists
SUBSTANCE NOTES:				

PHENOL, 2,4-BIS(1,1-DIMETHYLETHYL)-, PHOSPHITE (3:1)

ID: 31570-04-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-25 0:24:09

%: 0.0140 - 0.0140	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warning	s found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listin	ngs found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYETHYLENE			ID: 9002-88-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-08-25 0:24:10
%: 0.0140 - 0.0140	GreenScreen: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
None found			No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
None found			No listings found on Additional Hazard Lists
SUBSTANCE NOTES:			

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Residential, Light Commercial & Heavy Commercial Applications CERTIFICATE URL: https://de.scsglobalservices.com/certified-green- products-guide/product/66078	ISSUE DATE: 2023-06-01 EXPIRY DATE: 2024-04-30	CERTIFIER OR LAB: SCS Global
CERTIFICATION AND COMPLIANCE NOTES:		
VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Residential, Light Commercial & Heavy Commercial Applications CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/63dbb3e3ab4528eb96af8b95? page_type=Products%20Catalog CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2023-01-10 EXPIRY DATE: 2024-01-13	CERTIFIER OR LAB: UL
VOC EMISSIONS	Eurofins Indoor Air Comfort GOLD - certified product	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-11-03	CERTIFIER OR LAB: Eurofins

APPLICABLE FACILITIES: Residential, Light Commercial EXPIRY DATE: 2024-01-03

& Heavy Commercial Applications

CERTIFICATE URL:

LCA

CERTIFICATION AND COMPLIANCE NOTES:

Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Residential, Light Commercial

& Heavy Commercial Applications

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/63dbb3e3ab4528eb96af8b95?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-06-19 EXPIRY DATE: 2024-04-30 CERTIFIER OR LAB: UL

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

ter Hürne Sōya luxury vinyl floor | Pro is made with over 50% Calcium Carbonate (aka limestone, a globally abundant resource), virgin PVC resin or ter Hürne post-consumer

reclaimed LVT to ensure the product contains the cleanest and only known ingredients.

MANUFACTURER INFORMATION

MANUFACTURER: ter Hürne GmbH & Co. KG

ADDRESS: Ramsdorfer Str. 5 Südlohn NRW 46354, Deutschland WEBSITE: www.terhuerne.com CONTACT NAME: Nadine Lensing

TITLE: Product Manager
PHONE: +492862701-0
EMAIL: info@terhuerne.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.