



The comfort floor with the strength of the soya bean

My Sōya Luxury Vinyl Tiles



The floor in your home is much more than just a covering. It's where your children learn to crawl before they take their first steps. Lego towers are built there and pictures are painted, guests come in and out, not to mention pets. There is no doubt about it: the floor plays a major role in creating a really great atmosphere for your home. And by the way, it just happens to be the largest piece of furniture in the room in terms of its surface area.

At ter Hürne, we know all about the importance of your floor, because our love of wood and its positive, natural properties have formed the basis of our company for more than 60 years. We have made a name for ourselves in the industry as one of the leading manufacturers of engineered hardwood flooring in Europe. Today, we apply all of our expertise to produce innovative floors that are ideally suited to life with all its different requirements, while also protecting the environment.

Healthy living is our key promise to you. Our portfolio in the real wood segment and our natural-looking collections in the wood and design floor segments all have something in common. We do not make compromises in manufacturing: not in the design, the feel, the quality or the function – and certainly not when it comes to healthy living. Throughout the entire process, from the initial concept to product development and manufacturing, all ingredients are designed to have a positive impact on the health and well-being of occupants. With us, living is naturally healthy – and simply beautiful. And that's something you can rely on – no ifs or buts.

Bernhard ter Hürne

Chief Executive Officer ter Hürne

Stay curious

Our contents for you

Product philosophy

This is Soya - from page 4

Product characteristics

What Sōya can do - from page 6

Collections

This is what Soya looks like

Sōya Luxury Vinyl Tiles 1 – from page 16 Sōya Luxury Vinyl Tiles 2 – from page 40

Virtual Room Studio

ter Hürne floors in your home - from page 49

Accessories

This makes your floor complete - from page 53

More than just healthy

We use a plant-based plasticizer for our luxury vinyl flooring. We obtain it from an oil also used in the food industry - soya

Bio-based soya bean oil provides our floors with the best properties. They are soft, pleasantly elas- tic and unobtrusively quiet, while remaining robust and durable.

The power of the soya bean makes your luxury vinyl flooring particularly low-emission and gives you a feeling of security.





Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).
























From the start it was crystal clear for us: There would only be design vinyl floors by ter Hürne if we were able to produce them free of harmful phthalates

> Bernhard ter Hürne Chief Executive Officer ter Hürne



The perfect companion for your everyday life

Walking on our design vinyl floors is agreeably quiet and soft. Even so, it is tough. You can't see its robust nature. It is hidden in the material and its smart construction. It hardly matters what happens to it. It can take water, dirt and dog paws in its stride. It is easy to care for and is clean again in no time at all. It stays just as serene as you.



Water-





resistant

Highperformance

Non-slip



Anti-static



Antibacterial

MADE FOR EVERY APPLICATION

Design or function? Both!


You decide on the design - we deliver the perfect functionality. With Sōya 1 and Sōya 2 your style becomes the basis for three customised solutions. True to the principle "form follows function" - except the other way around.

You can find out more about the 3-in-1 system on the following page.











Sōya 1

Sōya 2

Perform - if you want it all

You are looking for a floor that works in every situation? Sōya Perform offers you the perfect combination of high quality, comfort and practical benefits. The extremely robust rigid baseboard, reinforced by elastic vinyl layers, makes it extremely resistant to the challenges of everyday use. Whether as floating or professional glue-down installation - Sōya Perform adapts flexibly to your needs. The integrated cork impact sound insulation ensures a pleasant walking sensation. A versatile floor that will impress in every situation.

Comfort - the comfortable choice

If you are looking for a floor that is particularly easy to install and is suitable for DIY projects, then Soya Comfort is your best option! Thanks to the practical click system it can be installed quickly and effortlessly - ideal for anyone who wants to renovate their floor themselves. The natural HDF baseboard made of real wood ensures a pleasingly warm and authentic walking sensation. The integrated cork impact sound insulation absorbs disturbing noise and ensures a quiet living environment. In addition the SEAL technology protects the floor from moisture and ensures it is water resistant for up to 48 hours.* A high quality floor that combines comfort and natural materiality!

*Based on ISO standard 4760 in the standard NALFA test


Pro - for professional glue-down

For the highest demands on durability, walking comfort and room acoustics, there is Soya Pro specially developed for glue-down installation. The elastic structure adapts perfectly to the building structure and ensures a harmonious connection with the subfloor. This means soft walking comfort and optimum footfall sound insulation. Its high water resistance also makes it the ideal choice for large, open-plan living areas or damp rooms. Thanks to its special construction Sōya Pro is perfectly suited to seamless installation from room to room.

Solid - the strong floor

Soya Solid is the right choice for anyone looking for a robust and long-lasting floor. The SPC-Rigid baseboard ensure a high degree of stability and resistance, ideal for residential spaces with high traffic, offices or commercial spaces. The resilient wear layer protects the floor from wear and tear and makes it easy to maintain. At the same time, the IXPE-impact sound insulation contributes to pleasant room acoustics. Thanks to the click system Sōya Solid can be installed quickly and easily, with no gluing necessary. A solid solution for anyone looking for a reliable and long-lasting floor covering.

- Perform 9
- 1 Transparent, hard-wearing PU-coating
- 2 Transparent wear layer with embossed structure
- 3 Printed decor layer
- 4 LVT middle layer
- 5 Rigid baseboard
- 6 LVT stabilizing layer
- Cork impact sound insulation




























* Suitable for water-based and electric underfloor heating systems. Heating systems with reverse cycle cooling must be fitted with an automatic control unit for dew point regulation. Only suitable for electric surface hearing systems fitted with gentle warm-up technology and a control unit for automatic dew point regulation.

THE COMFORTABLE CHOICE

Comfort SEAL @22

- 1 Transparent, hard-wearing PU-coating
- 2 Transparent wear layer with embossed structure
- 3 Printed decor layer
- 4 LVT middle layer
- 5 HDF baseboard
- 6 Cork impact sound insulation


































* Suitable for water-based and electric underfloor heating systems. Heating systems with reverse cycle cooling must be fitted with an automatic control unit for dew point regulation. Only suitable for electric surface hearing systems fitted with gentle warm-up technology and a control unit for automatic dew point regulation.

2 Transparent wear layer with embossed structure

3 Printed decor layer

4 Double LVT middle layer















































Non-slip and flame resistant.


* Suitable for water-based and electric underfloor heating systems. Heating systems with reverse cycle cooling must be fitted with an automatic control unit for dew point regulation. Only suitable for electric surface hearing systems fitted with gentle warm-up technology and a control unit for automatic dew point regulation.

THE STRONG FLOOR

Solid 2



- 1 Transparent, hard-wearing PU-coating
- 2 Transparent wear layer with embossed structure
- 3 Printed decor layer
- Rigid baseboard
- 5 Impact sound insulation








































* Suitable for water-based and electric underfloor heating systems. Heating systems with reverse cycle cooling must be fitted with an automatic control unit for dew point regulation. Only suitable for electric surface hearing systems fitted with gentle warm-up technology and a control unit for automatic dew point regulation.

APPEAL TO THE SENSES

Design down to the last detail

With Sōya you experience floor coverings that not only look authentic, but also feel just as authentic. Many of our floors have a **synchronised structure** - this means, that the you can feel the grain pattern exactly where you see it. Coarse knots, gently sanded surfaces and fine grooves in the annual rings provide a real wood look that you can feel with every step.

Our new decors are also visually appealing: The super-matt surface reduces the light reflection and gives the design a natural depth. This brings out the fine details of the grain even better and your floor looks as authentic as real wood - only easier to maintain and longer-lasting.

MORE SPACIOUS, MORE STYLISH

Generous XL formats

The trend is towards large formats, and this is exactly where our decors come in. With their generous surfaces, they create a harmonious and seamless look that makes rooms appear more open, serene and spacious. Fewer joints not only mean a modern look, but also a light and airy ambience.

Our XL stone decors in 1,200 x 600 mm format and the long planks of the wood Edition with a length of up to 2.200 mm fulfil exactly this demand. Whether in the living area, bathroom or study - these new large format designs bring a new dimension to your room design.



COMBINED FOR IMPACT

The dynamics of herringbone & chevron


You love stylish floors with character?
Herringbone and chevron bring movement and structure into your rooms - without being intrusive. The dynamic laying patterns in the Sōya Range lend a special sophistication even to simple or small rooms. The angled configuration of the planks creates an intriguing depth that will make your floor really eye-catching.


New for Sōya Vinyl: Chevron - the refined French herringbone. Here, the planks meet precisely at a 60° angle and form an elegant V shape. In comparison to the classic herringbone where the planks are arranged at a 45° angle, chevron has a more serene and harmonious effect. This pattern goes particularly well with modern and prestigious rooms and lends them a timeless elegance.

Did you know?

Our Herringbone & Chevron Editions each offer you 10 decors that are perfectly matched to the planks in the Sōya range. So you can combine different laying patterns, without sacrificing a consistent aesthetic - for maximum design freedom in your home!









Oak York*

 Pro
 1101210600 | 1219.2 x 228.6 x 2.5 mm

 Comfort SEAL
 1101200721 | 1209 x 221 x 9.1 mm

 Perform
 1101240200 | 1212.9 x 222.3 x 6 mm





Go ahead with your virtual installation!



Oak Oslo*

 Pro
 1101210602 | 1219.2 x 228.6 x 2.5 mm

 Comfort SEAL
 1101200723 | 1209 x 221 x 9.1 mm

 Perform
 1101240202 | 1212.9 x 222.3 x 6 mm



Oak Gent*

 Pro
 1101210601 | 1219.2 x 228.6 x 2.5 mm

 Comfort SEAL
 1101200722 | 1209 x 221 x 9.1 mm

 Perform
 1101240201 | 1212.9 x 222.3 x 6 mm



Oak Viborg*

 Pro
 1101210603 | 1219.2 x 228.6 x 2.5 mm

 Comfort SEAL
 1101200724 | 1209 x 221 x 9.1 mm

 Perform
 1101240203 | 1212.9 x 222.3 x 6 mm



Oak Helsinki*

 Pro
 1101210604 | 1219.2 x 228.6 x 2.5 mm

 Comfort SEAL
 1101200725 | 1209 x 221 x 9.1 mm

 Perform
 1101240204 | 1212.9 x 222.3 x 6 mm



Oak Canberra*

 Pro
 1101210605 | 1219.2 x 228.6 x 2.5 mm

 Comfort SEAL
 1101200726 | 1209 x 221 x 9.1 mm

 Perform
 1101240205 | 1212.9 x 222.3 x 6 mm



All Sōya products can always be found in the Floor Finder at:



www.terhuerne.com



Oak Bilbao*

 Pro
 1101210400 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200528 | 2200 x 217 x 9.1 mm

 Perform
 1101240021 | 1517.7 x 235 x 6 mm



 Pro
 1101210402 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200526 | 2200 x 217 x 9.1 mm

 Perform
 1101240018 | 1517.7 x 235 x 6 mm



Oak Malaga*

 Pro
 1101210401 | 1516.9x241.3x2.5mm

 Comfort SEAL
 1101200527 | 2200x217x9.1mm

 Perform
 1101240015 | 1517.7x235x6mm



Go ahead with your virtual installation!





Oak Lübeck*

 Pro
 1101210406 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200530 | 2200 x 217 x 9.1 mm

 Perform
 1101240401 | 1814.8 x 235 x 6 mm




Oak Berlin* Oak H

 Pro
 1101210405 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200529 | 2200x217x9.1 mm

 Perform
 1101240400 | 1814.8x235x6 mm



 Pro
 1101210407 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200531 | 2200x217x9.1 mm

 Perform
 1101240402 | 1814.8x235x6 mm



Oak Stettin*

 Pro
 1101210408 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200532 | 2200 x 217 x 9.1 mm

 Perform
 1101240403 | 1814.8 x 235 x 6 mm





 Pro
 1101210413 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200534 | 2200 x 217 x 9.1 mm

 Perform
 1101240302 | 1517.7 x 235 x 6 mm



Oak Washington*

 Pro
 1101210409 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200533 | 2200x217x9.1 mm

 Perform
 1101240404 | 1814.8x235x6 mm



Oak Salvador*

 Pro
 1101210419 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200535 | 2200 x 217 x 9.1 mm

 Perform
 1101240409 | 1814.8 x 235 x 6 mm



Pine Bergen*

 Pro
 1101210421 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200536 | 2200x217x9.1 mm

 Perform
 1101240306 | 1517.7x235x6 mm



Oak Barcelona*

 Pro
 1101210433 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200525 | 2200 x 217 x 9.1 mm

 Perform
 1101240411 | 1830 x 229 x 6 mm



Oak Cairo*

 Pro
 1101210441 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200523 | 2200 x 217 x 9.1 mm

 Perform
 1101240412 | 1830 x 229 x 6 mm



Elm Paris*

 Pro
 1101210612 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200517 | 2200x217x9.1 mm

 Perform
 1101240208 | 1517.7x235x6 mm

All Sōya products can always be found in the Floor Finder at:



www.terhuerne.com



Oak London*

 Pro
 1101210442 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200524 | 2200 x 217 x 9.1 mm

 Perform
 1101240410 | 1830 x 229 x 6 mm



Oak Rotterdam*

 Pro
 1101210613 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200518 | 2200 x 217 x 9.1 mm

 Perform
 1101240209 | 1517.7 x 235 x 6 mm





Oak Lima*

 Pro
 1101210615 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200520 | 2200x217x9.1 mm

 Perform
 1101240211 | 1517.7x235x6 mm




Oak Antwerpen*

 Pro
 1101210614 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200519 | 2200 x 217 x 9.1 mm

 Perform
 1101240210 | 1517.7 x 235 x 6 mm



 Pro
 1101210616 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200521 | 2200 x 217 x 9.1 mm

 Perform
 1101240212 | 1517.7 x 235 x 6 mm





Walnut Abu Dhabi*

 Pro
 1101210617 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200522 | 2200x217x9.1 mm

 Perform
 1101240213 | 1517.7x235x6 mm





Stone Tunis*

 Pro
 1101210500 | 1219.2x609.6x2.5 mm

 Perform
 1101240500 | 1212.9x603.3x6 mm



Stone Rom*

 Pro
 1101210504 | 1219.2x609.6x2.5 mm

 Perform
 1101240504 | 1212.9x603.3x6 mm



Stone Cartagena*

 Pro
 1101210502 | 1219.2x609.6x2.5 mm

 Perform
 1101240502 | 1212.9x603.3x6 mm



Stone Malta*

 Pro
 1101210505 | 1219.2x609.6x2.5 mm

 Perform
 1101240505 | 1212.9x603.3x6 mm



Stone Split*

 Pro
 1101210508 | 1219.2 x 609.6 x 2.5 mm

 Perform
 1101240508 | 1212,9 x 603,3 x 6 mm



Stone Atlanta*

 Pro
 1101210509 | 1219.2 x 609.6 x 2.5 mm

 Perform
 1101240509 | 1212.9 x 603.3 x 6 mm






Stone Athen*

 Pro
 1101210510 | 1219.2x609.6x2.5 mm

 Perform
 1101240510 | 1212.9x603.3x6 mm



Stone Montreal*

 Pro
 1101210511 | 1219.2 x 609.6 x 2.5 mm

 Perform
 1101240511 | 1212.9 x 603.3 x 6 mm



 Pro
 1101210516 | 1219.2x609.6x2.5 mm

 Perform
 1101240513 | 1212.9x603.3x6 mm



Stone Valletta*

 Pro
 1101210515 | 1219.2 x 609.6 x 2.5 mm

 Perform
 1101240512 | 1212.9 x 603.3 x 6 mm





Oak Berlin*

 Pro
 1101210309 | 749.3x149.9x2.5mm

 Perform
 1101240608 | 743x145x6mm



Go ahead with your virtual installation!



 Pro
 1101210311 | 749.3x149.9x2.5mm

 Perform
 1101240610 | 743x145x6mm



Oak Canberra*

 Pro
 1101210310 | 749.3x149.9x2.5 mm

 Perform
 1101240609 | 743x145x6 mm



Oak Malaga*

 Pro
 1101210312 | 749.3x149.9x2.5mm


 Perform
 1101240611 | 743x145x6mm



Oak Oslo*

 Pro
 1101210313 | 749.3x149.9x2.5 mm

 Perform
 1101240612 | 743x145x6 mm



Oak Dublin*

 Pro
 1101210316 | 749.3 x 149.9 x 2.5 mm

 Perform
 1101240615 | 743 x 145 x 6 mm



Oak York*

 Pro
 1101210315 | 749.3x149.9x2.5mm

 Perform
 1101240614 | 743x145x6mm



Oak Rotterdam*

 Pro
 1101210801 | 749.3x149.9x2.5mm

 Perform
 1101240801 | 743x145x6mm



Oak Washington*

 Pro
 1101210314 | 749.3x149.9x2.5mm

 Perform
 1101240613 | 743x145x6mm



Oak Hamburg*

 Pro
 1101210800 | 749.3x149.9x2.5 mm

 Perform
 1101240800 | 743x145x6 mm



All Sōya products can always be found in the Floor Finder at:



www.terhuerne.com



Oak Malaga*

 Pro
 1101210700 | 665.4x152.4x2.5 mm

 Perform
 1101240700 | 665.4x145x6 mm



 Pro
 1101210702 | 665.4 x 152.4 x 2.5 mm

 Perform
 1101240702 | 665.4 x 145 x 6 mm



Oak Dublin*

 Pro
 1101210701 | 665.4x152.4x2.5 mm

 Perform
 1101240701 | 665.4x145x6 mm



Oak Berlin*

 Pro
 1101210703 | 665.4x152.4x2.5 mm

 Perform
 1101240703 | 665.4x145x6 mm



Oak Washington*

 Pro
 1101210704 | 665.4x152.4x2.5 mm

 Perform
 1101240704 | 665.4x145x6 mm



Oak Oslo*

 Pro
 1101210705 | 665.4x152.4x2.5mm

 Perform
 1101240705 | 665.4x145x6mm



Oak Canberra*

 Pro
 1101210706 | 665.4x152.4x2.5 mm

 Perform
 1101240706 | 665.4x145x6 mm




Oak Helsinki*

 Pro
 1101210707 | 665.4x152.4x2.5 mm

 Perform
 1101240707 | 665.4x145x6 mm





 Pro
 1101210709 | 665.4 x 152.4 x 2.5 mm

 Perform
 1101240709 | 665.4 x 145 x 6 mm





Oak Hamburg*

 Pro
 1101210708 | 665.4x152.4x2.5mm

 Perform
 1101240708 | 665.4x145x6mm









Oak Lyon*

 Pro
 1101210424 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200709 | 1209 x 221 x 9.1 mm

 Solid
 1101290001 | 1517.7 x 235 x 6 mm





Go ahead with your virtual installation!



 Pro
 1101210426 | 1516.9x241.3x2.5 mm

 Comfort SEAL
 1101200711 | 1209x221x9,1 mm

 Solid
 1101290003 | 1517.7x235x6 mm



Oak Marseille*

 Pro
 1101210425 | 1516.9 x 241.3 x 2.5 mm

 Comfort SEAL
 1101200710 | 1209 x 221 x 9.1 mm

 Solid
 1101290002 | 1517.7 x 235 x 6 mm



Oak Stockholm*

1101210427 | 1516.9 x 241.3 x 2.5 mm 1101200712 | 1209 x 221 x 9.1 mm **Comfort SEAL** 1101290004 | 1517.7 x 235 x 6 mm



Oak Brügge*

1101210428 | 1516.9 x 241.3 x 2.5 mm 1101200713 | 1209x221x9.1 mm 1101290005 | 1517.7x235x6 mm Comfort SEAL Solid



Oak Budapest*

1101210429 | 1516.9x241.3x2.5mm 1101200714 | 1209x221x9.1mm 1101290006 | 1517.7x235x6mm Comfort SEAL







Oak Sevilla*

1101210430 | 1516.9 x 241.3 x 2.5 mm 1101200715 | 1209x221x9.1mm 1101290007 | 1517.7x235x6mm Comfort SEAL Solid



Oak Triest*

Pro Comfort SEAL Solid 1101210432 | 1516.9x241.3x2.5 mm 1101200717 | 1209x221x9.1 mm 1101290009 | 1517.7x235x6 mm



Oak Riga*

1101210431 | 1516.9x241.3x2.5mm Comfort SEAL 1101200716 | 1209 x 221 x 9.1 mm 1101290008 | 1517.7x235x6mm



Oak Miami*

 Pro
 1101210434 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200509 | 2200 x 217 x 9.1 mm

 Solid
 1101290200 | 1830 x 229 x 6 mm





Oak Tokyo*

 Pro
 1101210435 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200510 | 2200 x 217 x 9.1 mm

 Solid
 1101290201 | 1830 x 229 x 6 mm



Oak Boston*

 Pro
 1101210436 | 1840x236x2.5 mm

 Comfort SEAL
 1101200511 | 2200x217x9.1 mm

 Solid
 1101290202 | 1830x229x6 mm



Oak Catania*

 Pro
 1101210437 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200512 | 2200 x 217 x 9.1 mm

 Solid
 1101290203 | 1830 x 229 x 6 mm



Oak Zandvoort*

 Pro
 1101210438 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200513 | 2200 x 217 x 9.1 mm

 Solid
 1101290204 | 1830 x 229 x 6 mm



Oak Toronto*

 Pro
 1101210440 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200515 | 2200 x 217 x 9.1 mm

 Solid
 1101290206 | 1830 x 229 x 6 mm



Oak Naju*

 Pro
 1101210439 | 1840 x 236 x 2.5 mm

 Comfort SEAL
 1101200514 | 2200 x 217 x 9.1 mm

 Solid
 1101290205 | 1830 x 229 x 6 mm



Oak Den Haag*

1101210608 | 1530 x 250 x 2.5 mm 1101200718 | 1209 x 221 x 9.1 mm Comfort SEAL 1101290010 | 1522x240x6mm



Oak Bristol*

1101210609 | 1530 x 250 x 2.5 mm Comfort SEAL



Oak Doha*

1101210610 | 1530 x 250 x 2.5 mm 1101200720 | 1209 x 221 x 9.1 mm Рго Comfort SEAL 1101290012 | 1522x240x6mm



MY VIRTUAL FLOOR

My Room Studio


With our virtual Room Studio you can view all of our floors in your own home. Here and now. Just use your smartphone. As soon as you are in the Room Studio you have two options:


- 1 You can either take a picture of your room with your smartphone and select your preferred floor, which you lay virtually.
- 2 Or you can select room images from our gallery and virtually lay your preferred floor

With our virtual Room Studio you can look at all of our floors in the comfort of your own home either on your laptop, tablet or desktop computer. Due to the size of the display, this is sometimes the better alternative. Just click on the "Room Studio" button on the right-hand side of the screen.



1101200719 | 1209 x 221 x 9.1 mm 1101290011 | 1522x240x6mm





Stone Venedig*

 Pro
 1101210512 | 1219.2x609.6x2.5 mm

 Solid
 1101290100 | 1212.9x603.3x6 mm





Stone Iraklio*

ro 1101210514 | 1219.2×609.6×2.5 mm olid 1101290102 | 1212.9×603.3×6 mm



Stone Siena*

 Pro
 1101210513 | 1219.2 x 609.6 x 2.5 mm

 Solid
 1101290101 | 1212.9 x 603.3 x 6 mm





Stone Zadar*

 Pro
 1101210518 | 1219.2x609.6x2.5 mm

 Solid
 1101290104 | 1220x610x6 mm



Stone Baku*

 Pro
 1101210517 | 1219.2 x 609.6 x 2.5 mm

 Solid
 1101290103 | 1220 x 610 x 6 mm



There are so many good reasons to choose a floor from ter Hürne. One of them is that our quality management also perfectly matches the accessories to our collections in our own test laboratory.

"Our experience clearly shows that compromises in accessories are expensive in the long run. Maximum quality and longevity in flooring are always demonstrated in the interaction with the complete system: how does a certain adhesive interact with the floor undertemperature fluctuations? Which underlay material causes material to become fatigued more quickly? We ask ourselves questions like these and others every day in the laboratory and therefore know that choosing a system of proven quality is also the best way to save in the long run."

4 good reasons why you too should rely on ter Hürne system solutions:

- Smart: You get a consistent system for every floor concept, which ensures easy and quick installation.
- Quality: The smart ter Hürne system is a guarantee for a floor with maximum quality and longevity. Because all components are perfectly coordinated with each other.
- Healthy living: We only use materials for a healthy home environment and, of course, this also applies to the accessories.
- Visual appearance: All ter Hürne floors perfectly match our skirting and step systems. This gives you a successful floor concept in terms of appearance.

Bernd Kernebeck

QA technician at ter Hürne

Original Zubehör für originale Qualität



Original accessories for original quality



